

A Study on the Expected Utility

Tokumaru KIMURA

Introduction

Even in quite simple static models of choice under uncertainty, the response of optimal choice to changes in circumstances presents varied and interesting problems. The examples presented below concern the optimal amount or level of an uncertain venture to be undertaken by an expected utility maximizing risk averse decision maker (dm).

Let (Ω, F, P) be a probability space in which the universal event Ω represents all possible developments in dm's environment and P represents his personal probabilities. dm is visualized as having certain initial investments, commitments and plans. If he does nothing to change these, his wealth at some future date is given by the random variable $X(w)$ called his initial prospect. w , an element of Ω , is a particular development or sequence of events in dm's environment.

He is considering a new venture each unit of which will and $Y(w)$ to his future wealth if w is realized in his environment. If he chooses α units of the venture $X(w) + \alpha Y(w)$ becomes his new prospect. He is presumed to choose α from his admissible set to maximize $E \varphi(X + \alpha Y)$ where φ is utility of wealth and the expectation is with respect to personal probability P .

The venture might be purchase or sale of securities, an insurance policy, a business contract, a position on a futures market or any undertaking whose effect can be approximated by an additive random variable.

Method — Basic Concepts and their Models —

Let $\eta(\alpha) = E\varphi(X + \alpha Y)$ be dm's expected utility function. If (1) $\varphi' > 0$, $\lim_{x \rightarrow \infty} \varphi'(x) = 0$, (2) $\varphi'' < 0$, φ'' monotonic, (3) $P(Y > 0) > 0$, $P(Y < 0) > 0$, (4) $\varphi(X + \alpha Y)$, $Y\varphi'(X + \alpha Y)$, $Y^2\varphi''(X + \alpha Y)$, are integrable for all $\alpha \in R$,¹⁾ η is strictly concave, assumes a unique maximum on R , and has the continuous derivatives $\eta'(\alpha) = EY\varphi'(X + \alpha Y)$, $\eta''(\alpha) = EY^2\varphi''(X + \alpha Y)$. (1)–(4) are assumed throughout this paper.

The choice $\hat{\alpha}$ that maximizes η for $\alpha \in R$ lies in an open interval $(0, \alpha^*)$ of favorable choices (better than $\alpha = 0$) if $\hat{\alpha} > 0$, or an interval $(\alpha^*, 0)$ if $\hat{\alpha} < 0$. Let $\langle \alpha^* \rangle$ designate whichever interval is relevant, i.e., $\langle \alpha^* \rangle = \{ \alpha : E \eta(X + \alpha Y) > E \varphi(X) \}$. If $\eta'(0) = 0$, then $\hat{\alpha} = 0$, $\langle \alpha^* \rangle = \phi$. Expected utility functions for $\hat{\alpha} > 0$ ($\eta_1(\alpha)$) and $\hat{\alpha} < 0$ ($\eta_2(\alpha)$). Inspection of the expected utility function readily verifies [PROPOSITION I: $\forall \alpha \in R, \eta'(\alpha) \stackrel{s}{\leq} (\hat{\alpha} - \alpha)$, where $\stackrel{s}{\leq}$ means "is equal in sign to."] In most applications, α must be chosen from some subset of R —e.g., some securities can only be purchased in positive amounts, there will usually be an upper bound on the amount of a venture determined by dm's resources. If

\underline{a} is the admissible set, let $\hat{\alpha}_a$ be a restricted optimum if not exists. $\hat{\alpha}_a$ maximizes $\eta(\alpha)$ for $\alpha \in a$.

For problems like the above with just one venture under consideration it is usually convenient to first obtain or characterize $\hat{\alpha}$, α^* and then take account of the restrictions as follows: (i) if $\hat{\alpha} \in \underline{a}$, then $\hat{\alpha}_a = \hat{\alpha}$, (ii) if $\underline{a} \cap \langle \alpha^* \rangle = \phi$, then $\hat{\alpha}_a = 0$, (here, I can assume $\alpha = 0$ is always admissible), (iii) if neither (i) nor (ii), let $\bar{\alpha} = \inf. \{a \cap \langle \alpha^* \rangle \cap (\hat{\alpha}, \infty)\}$ and $\alpha = \sup \{a \cap \langle \alpha^* \rangle \cap (-\infty, \hat{\alpha})\}$. Choose α_0 so that $\eta(\alpha_0) = \max \eta(\alpha)$. If $\alpha_0 \in a$, then $\hat{\alpha}_a = \alpha_0$. If not, $\hat{\alpha}_a$ doesn't exist but $\forall \epsilon > 0$ and α_ϵ can be found $\exists \alpha_\epsilon \in a$ and $\eta(\alpha_\epsilon) > \eta(\alpha_0) - \epsilon$.

In the next section, I can study responses of $\hat{\alpha}$ and α^* to selected kinds of changes in X, Y or P.

Examinations and Verifications:

— Developments of Simulation Models by Computational Procedures —

(a) Uniform Changes in X or Y²:—

Write $X = W + b$, $Y = V + c$ where b, c are real numbers and W, V are random variables defined by the equations. If W remain fixed (as a fn on Ω) while b changes I say there is a uniform change in X. In applications, an increase in b represents a certain or non-contingent increase in dm's wealth. Examples might be a completely unexpected inheritance, cancellation of a debt, or revaluation of a sure asset. The analysis would also be relevant to the consideration of two individuals or groups of individuals who differ mainly in their general levels of wealth. An uniform change in Y is an increase or decrease in c . If Y is a common stock it is natural to think of V as the prospective return (dividends plus eventual sale value) to holding a share and— c as the price of a share. If the price changes with no change in returns associated with various environmental contingencies, there has been an uniform change in Y. I would like to know, hereby, how $\hat{\alpha}$, α^* respond to changes in b, c so I can assume that W, V are fixed and b, c allowed to vary. Expected utility may then be written as follow: $\eta(\alpha; b, c) = E \varphi(W + b + \alpha(V + c))$ and the unique optimal choice for given b, c denoted by $\hat{\alpha}(b, c)$ which is defined implicitly by the following equation 1 :

$$1 : D_\alpha \eta(\hat{\alpha}; b, c) = E(V + c) \varphi'(W + b + \hat{\alpha}(V + c)) = 0,$$

where $D_\alpha \eta$ is the partial derivative of η with respect to α . If $\exists \epsilon > 0 \exists |\delta| < \epsilon \Rightarrow \varphi'(X + \alpha Y + \delta)$, $Y \varphi''(X + \alpha Y + \delta)$ and $Y^2 \varphi''(X + \alpha Y + \delta)$ are integrable for all $\alpha \in \mathbb{R}$, the condition proposed in this case is imposed along with (1)–(4). And then the necessary continuous second partials of η can be shown³⁾ to exist by the implicit function theorem in the following equations:

$$2 : D_b \hat{\alpha} = \left\{ -D_{\alpha b}^2 \eta / D_{\alpha \alpha}^2 \eta \right\} = -\Delta^{-1} E(V + c) \varphi''(W + b + \hat{\alpha}(V + c)) = -\Delta^{-1} EY \varphi''(X + \hat{\alpha} Y),$$

$$3 : D_c \hat{\alpha} = \left\{ -D_{\alpha c}^2 \eta / D_{\alpha \alpha}^2 \eta \right\} = -\Delta^{-1} [E \varphi'(X + \hat{\alpha} Y) + \hat{\alpha} EY \varphi''(X + \hat{\alpha} Y)] = -\Delta^{-1} E \varphi'(X + \hat{\alpha} Y) + \hat{\alpha} D_b \hat{\alpha},$$

where D_{gh}^2 stands for second partial derivative with respect to g and h , and where $\Delta = D_{\alpha \alpha}^2 \eta = EY^2 \varphi''(X + \hat{\alpha} Y) < 0$ since $\varphi'' < 0$.

The two terms following the last equality in equation 3 are close analogues of the substitution and income effects in Slutsky's equation for consumer equilibrium. Since $\Delta < 0$ and $\varphi' > 0$ the first term is always positive. $D_b \hat{\alpha}$ will be called the wealth response, $D_c \hat{\alpha}$ the venture response, and $\hat{\alpha} D_b \hat{\alpha}$ the wealth effect.

A number of circumstances in which one might determine at least the signs of $D_b \hat{\alpha}$ and/or $D_c \hat{\alpha}$ were examined in Hildreth's paper⁴⁾ and illustrative applications sketched. Among these results are [PROPOSITION II: If absolute risk aversion $r(x) = \{-\varphi''(x)/\varphi'(x)\}$ is constant then $D_b \hat{\alpha} = 0$, $D_c \hat{\alpha} > 0$.] [PROPOSITION III: If $r' < 0$, φ''' is monotonic, X is independent of Y , and $\varphi^{(n)}(X+y)$ is integrable for all $y \in \mathbb{R}$ and $n = 0, \dots, 3$; then $EY \stackrel{\Delta}{=} \hat{\alpha} \stackrel{\Delta}{=} D_b \hat{\alpha}$.] [PROPOSITION IV: If $\exists \tilde{x} \exists (Y > 0) = (X > \tilde{x})$, if $\hat{\alpha} > 0$, and if $r' < 0$; then $D_b \hat{\alpha} > 0$.] By the way, the first condition of PROPOSITION IV might often be realized if the venture is expansion of an existing business. The expansion will only increase net return under conditions such that the original business would have done pretty well. The proposition says that if such a venture is favorable, the optimal size of the venture is an increasing function of the entrepreneur's wealth.

Now consider the response of α^* , the boundary of the favorable set, to uniform changes in the initial prospect and the venture. α^* is the nonzero solution (if \exists a nonzero solution set $\alpha^* = 0$) to $\eta(\alpha; b, c) = E \varphi(W + b + \alpha(V + c)) = \eta(0; b, c) = E \varphi(W + b)$. Again hold W, V fixed. Let $\alpha^*(b, c)$ be the solution corresponding to a pair (b, c) . Let $\theta(\alpha; b, c) = \eta(\alpha; b, c) - \eta(0; b, c) = E \varphi(W + b + \alpha(V + c)) - E \varphi(W + b)$. By the implicit function theorem,

$$4 : D_b \alpha^* = \{-D_b \theta / D_\alpha \theta\} = -(D_\alpha \theta)^{-1} E [\varphi'(X + \alpha^* Y) - \varphi'(X)]$$

$$5 : D_c \alpha^* = \{-D_c \theta / D_\alpha \theta\} = -(D_\alpha \theta)^{-1} \alpha^* (E \varphi'(X + \alpha^* Y)),$$

where $D_c \theta = EY \varphi'(X + \alpha^* Y) \stackrel{\Delta}{=} -\alpha^*$

and $D_\alpha \theta = \alpha^* (E \varphi'(X + \alpha^* Y)) \stackrel{\Delta}{=} \alpha^* (\varphi' > 0)$.

Thus by equation 5, $D_c \alpha^* > 0$ except possibly when $\alpha^* = \hat{\alpha} = 0$. When $\alpha^* = 0$, it can be shown⁵⁾ that any uniform increment in Y leads to a positive α^* so I may conclude that [PROPOSITION V: $\alpha^*(b, c)$ is a strictly increasing function of c .] This means that a uniform improvement in the venture enlarges $\langle \alpha^* \rangle$ if positive amounts were originally favorable and may diminish $\langle \alpha^* \rangle$ or shift it from the negative to the positive half line if negative amounts were initially favorable. It appears that sign of $D_b \alpha^*$ is indeterminate without further assumptions.

I now consider responses of $\hat{\alpha}, \alpha^*$ to other kinds of changes in X, Y, P .

(b) Improvement in X or Y on an Event:—

For any random variables V and W , let $V \succcurlyeq W$ mean $V \geq W$ a.s.. Let $V \succsim W$ means $V \succcurlyeq W$ and $P(V > W) > 0$. For $V \succ W$ I say "V exceeds W."

Suppose a dm's initial prospect improves in the following sense— X is replaced by $X + Z$ where $Z \succ 0$. I am interested in the effect on the optimal choice $\hat{\alpha}$ and his favorable set $\langle \alpha^* \rangle$.

Such a change could come about in many ways. A change in tax laws might mean that

dm will have a lower tax liability under some contingencies. These contingencies then comprise the event ($Z > 0$). If legislation establishes limits on medical malpractice liabilities, the current prospects of many doctors are raised under certain contingencies. Price floors for farm commodities raise the current prospects of many farmers under contingencies that would otherwise be associated with lower prices.

Let $\eta(\alpha)$ be the expected utility function with the original initial prospect and $\theta(\alpha)$ be the expected utility function with the improved initial prospect, $\eta(\alpha) = E \varphi(X + \alpha Y)$, $\theta(\alpha) = E \varphi(X + Z + \alpha Y)$. Let $\hat{\alpha}$, α^* be the optimal choice and the boundary of the favorable set for expected utility η and $\tilde{\alpha}$, $\tilde{\alpha}^*$ has corresponding meanings for expected utility θ . [PROPOSITION VI: Consider a dm whose initial prospect changes from X to $X+Z$ where $X+Z$ exceeds X . Let Y be the venture considered in both cases. Let $\hat{\alpha}$, α^* be the optimal choice and boundary of the favorable set before the change and $\tilde{\alpha}$, $\tilde{\alpha}^*$ afterward. Then, (i) $YZ \succ 0 \Rightarrow \tilde{\alpha} < \hat{\alpha}$ and $\tilde{\alpha}^* < \alpha^*$ (ii) $YZ = 0$ a.s. $\Rightarrow \tilde{\alpha} = \hat{\alpha}$ and $\tilde{\alpha}^* = \alpha^*$, (iii) $YZ \preccurlyeq 0 \Rightarrow \tilde{\alpha} > \hat{\alpha}$ and $\tilde{\alpha}^* > \alpha^*$.] Proof of (i) (By the mean value theorem, $\varphi'(X + Z + \alpha Y) = \varphi'(X + \alpha Y) + Z \varphi''(X + GZ + \alpha Y)$ where $0 \leq G(w) \leq 1$. Let $\theta(\alpha) = E \varphi(X + Z + \alpha Y)$, $\eta(\alpha) = E \varphi(X + \alpha Y)$. Then, $\eta'(\alpha) = EY \varphi'(X + \alpha Y)$ and, the equation 6 $\theta'(\alpha) = EY \varphi'(X + Z + \alpha Y) = \eta'(\alpha) + EYZ \varphi''(X + GZ + \alpha Y)$. Recall $\varphi'' < 0$. Then, $\varphi'' < 0$, if $EYZ \succ 0$, $\theta'(\alpha) < \eta'(\alpha) \forall \alpha \in \mathbb{R}$. Thus, $\theta'(\hat{\alpha}) \lesssim 0$ and $\tilde{\alpha} < \hat{\alpha}$ by PROPOSITION I. To show $\tilde{\alpha}^* < \alpha^*$, I consider three cases. (a) $\tilde{\alpha} < 0 < \alpha$. Then, $\tilde{\alpha}^* < \tilde{\alpha} < 0 < \hat{\alpha} < \alpha^*$. (b) $0 < \tilde{\alpha} < \hat{\alpha}$. Then $\theta'(\alpha) < \eta'(\alpha)$ implies $\theta(\tilde{\alpha}) - \theta(0) < \eta(\hat{\alpha}) - \eta(0)$ and $\theta(\tilde{\alpha}) - \theta(\alpha^*) > \eta(\hat{\alpha}) - \eta(\alpha^*) = \eta(\hat{\alpha}) - \eta(0)$. Thus, $\theta(\tilde{\alpha}) - \theta(0) < \theta(\tilde{\alpha}) - \theta(\alpha^*)$ and $\theta(\alpha^*) < \theta(0)$ which means $\alpha^* \notin \langle \tilde{\alpha}^* \rangle = (0, \tilde{\alpha}^*)$ so $\tilde{\alpha}^* < \alpha^*$. (c) $\tilde{\alpha} < \hat{\alpha} < 0$. Then $\theta'(\alpha) < \eta'(\alpha) \Rightarrow \theta(\tilde{\alpha}) - \theta(0) > \eta(\hat{\alpha}) - \eta(0)$ and $\theta(\tilde{\alpha}) - \theta(\alpha^*) < \eta(\hat{\alpha}) - \eta(\alpha^*) = \eta(\hat{\alpha}) - \eta(0)$. Thus $\theta(\tilde{\alpha}) - \theta(0) > \theta(\tilde{\alpha}) - \theta(\alpha^*)$ and $\theta(\alpha^*) > \theta(0)$ or $\alpha^* \in \langle \tilde{\alpha}^* \rangle = (\tilde{\alpha}^*, 0)$ so $\tilde{\alpha}^* < \alpha^*$.) Proof of (ii) (From the equation 6, $YZ = 0$ a.s. $\Rightarrow \theta'(\alpha) = \eta'(\alpha) \forall \alpha \in \mathbb{R}$ so $\theta(\alpha) - \eta(\alpha)$ is a constant.) Proof of (iii) (If $YZ \preccurlyeq 0$, then, $-YZ \succ 0$ and the argument for the assumption (1) applies to $-Y$. But reversing the sign of a venture reflects η and its points of interest about the η -axis.)

It can readily be verified that if X deteriorates, i.e., changes from X to $X - Z$ with $Z \succ 0$, then the inequalities of (1) and (3) are reversed. Note that PROPOSITION IV does not apply if $Z > 0$ a.s. since the requirement that Y is not a sure thing ($P(Y > 0) > 0$, $P(Y < 0) > 0$) would then preclude any of the conditions.

(i) says that a dm will decrease his (unrestricted) demand for a venture if his initial prospect improves on an event where his venture offers a positive (non-negative and not a.s. 0) return. This further illustrates the loose, informal characterization⁶) that the attractiveness of a venture may be regarded as a combination of expected return and insurance value, the latter loosely defined as the tendency of the venture to offer rewards on events where the initial prospect is low. Alternatively, one might say that as X improves on an event A , the positive contribution of Y on A is less needed if $\varphi'' < 0$. For example, I would expect demand for disability insurance to diminish if the government provides extensive tax deductions for the disabled.

Now consider dm's response to an improvement in the venture Y with X remaining un-

changed. Again, let $Z \succsim 0$. Compare $\hat{\alpha}, \alpha^*$ with $\tilde{\alpha}, \tilde{\alpha}^*$ where the latter are optimal amount and boundary of the favorable set for the venture $Y + Z$. For the response of α^* , I have the following generalization of PROPOSITION V. [PROPOSITION VII: Consider a dm whose prospective venture change from Y to $Y + Z$ with $Z \succsim 0$. Let α^* be the boundary of the favorable set before the change and $\tilde{\alpha}^*$ afterward. Then $\tilde{\alpha}^* > \alpha^*$.] Proof of PROPOSITION VII (Let $\eta(\alpha) = E \varphi(X + \alpha Y)$ and $\theta(\alpha) = E \varphi(X + \alpha(Y + Z))$ be the respective expected utility functions. $\alpha Z \succsim 0$ for $\alpha > 0$ and $\alpha Z \preccurlyeq 0$ for $\alpha < 0$. Since φ is increasing, $\theta(\alpha) - \eta(\alpha) \stackrel{\Delta}{=} \alpha$. Thus, $\alpha^* > 0 \Rightarrow \theta(\alpha^*) > \eta(\alpha^*) = \eta(0) = \theta(0)$ so $\alpha^* \in (0, \tilde{\alpha}^*)$. Also, $\alpha^* < 0 \Rightarrow \theta(\alpha^*) < \theta(0)$ so $\alpha^* \notin \langle \alpha^* \rangle$).

I can expect the response of the optimal choice to an improvement in Y to typically be positive ($\tilde{\alpha} > \hat{\alpha}$). However, counterexamples can be produced to show this is not universal.⁷⁾ The next two propositions give a number of sufficient conditions for positive response. Note that if $Y + Z \succsim 0$, then $\tilde{\alpha} = \infty$ so this trivial case is not included. For any random variable W and any event A , let $W_A = I_A W$ where I_A is the indicator of A . [PROPOSITION VIII: Suppose a venture improves from Y to $Y + Z$ where $Z \succsim 0$. Let $\eta(\alpha) = E \varphi(X + \alpha Y)$ and $\theta(\alpha) = E \varphi(X + \alpha Y + \alpha Z)$ be the expected Utility functions with $\eta'(\hat{\alpha}) = \theta'(\tilde{\alpha}) = 0$. Let $A = (Z > 0)$. Then, (i) $\theta(\alpha) - \eta(\alpha) \stackrel{\Delta}{=} \alpha$, (ii) $\hat{\alpha} \geq 0 \Rightarrow \tilde{\alpha} > 0, \tilde{\alpha} \leq 0 \Rightarrow \hat{\alpha} < 0$ and each of the following implies $\tilde{\alpha} > \hat{\alpha}$. And (iii) $\hat{\alpha} \tilde{\alpha} \leq 0$, (iv) $\tilde{\alpha} \geq 0, Y_A \preccurlyeq 0$, (v) $\hat{\alpha} \leq 0, Y_A \succcurlyeq 0$, (vi) (X, Y) independent of $A, Y_A + Z \succsim 0$, (vii) $Y_A \preccurlyeq 0, Y_A + Z \succcurlyeq 0$, (viii) $\hat{\alpha} \leq 0, \varphi''' > 0$.] Proof of PROPOSITION VIII ((i) follows from the definitions of θ, η and the fact that φ is increasing.

$$7 : \quad \theta'(\alpha) = E(Y + Z) \varphi'(X + \alpha Y + \alpha Z), \eta'(\alpha) = EY \varphi'(X + \alpha Y).$$

$$8 : \quad \theta'(0) - \eta'(0) = EZ \varphi'(X) > 0.$$

By PROPOSITION I, $\hat{\alpha} \geq 0 \Rightarrow \eta'(0) \geq 0$. And by the equation 8, this implies $\theta'(0) > 0$ which, by PROPOSITION I, implies $\tilde{\alpha} > 0$. The second half of (ii) is similar. (iii) follows immediately from (ii)). By the mean value theorem,

$$9 : \quad \varphi'(X + \alpha Y + \alpha Z) = \varphi'(X + \alpha Y) + \alpha Z \varphi''(X + \alpha Y + \alpha GZ),$$

where $0 \leq G \leq 1$. Combining the equations 8 and 9,

$$10 : \quad \theta'(\alpha) - \eta'(\alpha) = EZ \varphi'(X + \alpha Y + \alpha Z) + \alpha EYZ \varphi''(X + \alpha Y + \alpha GZ).$$

In this equation 10, φ' is positive and $Z \succcurlyeq 0$ so $EZ \varphi'(\bullet) > 0$. Since $\varphi'' < 0; \alpha YZ \preccurlyeq 0 \Rightarrow \theta'(\alpha) - \eta'(\alpha) > 0$. Thus, (iv) implies $\theta'(\tilde{\alpha}) > \eta'(\tilde{\alpha})$ and (v) implies $\theta'(\hat{\alpha}) > \eta'(\hat{\alpha})$. Either justifies $\tilde{\alpha} > \hat{\alpha}$ by PROPOSITION I.

Note that, using (ii), one could substitute “ $\max\{\tilde{\alpha}, \hat{\alpha}\}$ ” for “ $\tilde{\alpha}$ ” in (iv) and “ $\min\{\tilde{\alpha}, \hat{\alpha}\}$ ” for “ $\hat{\alpha}$ ” in (v). Let $A = (Z > 0)$. Then, $X + \alpha Y + \alpha Z = X + \alpha Y$ on A^c and an alternative expression for the difference in expected utilities is

$$11 : \quad \theta'(\alpha) - \eta'(\alpha) = E(Y_A + Z) \varphi'(X + \alpha Y + \alpha Z) - EY_A \varphi'(X + \alpha Y). \text{ By the definition, } EY \varphi'(X + \hat{\alpha} Y) = 0, \text{ so if } (X, Y) \text{ are independent of } A, \text{ the final term of the equation 11 is also zero. Then } (Y_A + Z) \succsim 0 \text{ implies that the next to last term is positive so } \theta'$$

$(\hat{\alpha}) - \eta(\hat{\alpha}) > 0$ and $\tilde{\alpha} > \hat{\alpha}$. This proves (vi).

The conditions in (vii) make $\theta'(\alpha) > \eta'(\alpha)$ for all and therefore, for $\hat{\alpha}$. Note that $Y_A = 0$, $Y_A + Z = 0$ is ruled out by $Z_A > 0$.

To establish (viii), again use the mean value theorem,

12 : $\varphi''(X + \alpha Y + \alpha Z) = \varphi''(X + \alpha Y) + \alpha Z \varphi'''(X + \alpha Y + \alpha GZ)$,
where, as before, $0 \leq G \leq 1$. Differentiating 12 ,

$$13 : \theta''(\alpha) - \eta''(\alpha) = E(Y_A + Z)^2 \varphi''(X + \alpha Y + \alpha Z) - EY_A^2 \varphi''(X + \alpha Y) = \\ E[(Y_A + Z)^2 - Y_A^2] \varphi''(X + \alpha Y) + \alpha E(Y_A + Z)^2 Z \varphi'''(X + \alpha Y + \alpha GZ).$$

The first term on the last line of the equation 13 is always negative and, if $\varphi''' > 0$, the final term has the sign of α . Thus $\theta''(\alpha) - \eta''(\alpha) < 0$ for $\alpha \leq 0$. Together with $\theta'(0) > \eta'(0)$, this implies $\theta'(\alpha) > \eta'(\alpha)$ for $\alpha \leq 0$. Consequently $\theta'(\hat{\alpha}) > \eta'(\hat{\alpha})$ if $\hat{\alpha} \leq 0$ and this means $\tilde{\alpha} > \hat{\alpha}$. Recall that decreasing absolute risk aversion ($r' < 0$) implies $\varphi''' > 0$.

(c) Change in Belief in an Event:—

Suppose dm's beliefs about events in his environment change in the following way. An event $A \in \mathcal{F}$ becomes more probable and its complement A^c correspondingly less probable while the conditional probabilities of all events given A (and therefore given A^c) are unchanged.

A 1976 example might have been a piece of news that increased dm's subject probability that Carter would be elected president. If the news were unaccompanied by anything that would change dm's views about what Carter would do if elected or what Ford would do if elected, then unchanged conditional probabilities seem reasonable.

Alternatively, suppose a businessman has proposed a contract to another party and is waiting to see if it is accepted. News favoring probable acceptable acceptance might not change his ideas about what will happen if acceptance is received or what will happen if rejection is the outcome.

Other examples could concern legislation under consideration that is relevant to dm's affairs, litigation, or a bid to be let by a public agency.

Whatever the context, let $(\Omega, \mathcal{F}; \tilde{P})$ reflect revised beliefs. For any $B \in \mathcal{F}$ I can have $\tilde{P}B = (\tilde{P}A/PA)P(A \cap B) + (\tilde{P}A^c/PA^c)P(A \cap B^c)$.

For any random variable W define $\tilde{E}W = \int W d\tilde{P} = (\tilde{P}A/PA)E_A W + (\tilde{P}A^c/PA^c)E_{A^c} W$, where E_A is conditional expectation given A . The new expected utility function is $\theta(\alpha) = \tilde{E}\varphi(X + \alpha Y) = (\tilde{P}A)E_A \varphi(X + \alpha Y) + (\tilde{P}A^c)E_{A^c} \varphi(X + \alpha Y)$.

Let $\theta'(\tilde{\alpha}) = 0$, $\theta(\tilde{\alpha}^*) = \theta(0)$. Note that if the vector (X, Y) is independent of A then $\theta(\alpha) = \eta(\alpha)$ so $\tilde{\alpha} = \hat{\alpha}$, $\tilde{\alpha}^* = \alpha^*$. How do $(\tilde{\alpha}, \tilde{\alpha}^*)$ compare with $(\hat{\alpha}, \alpha^*)$ under non-independence?

It will save time to generalize the problem a little before developing some results. Let λ , $0 \leq \lambda \leq 1$, be the revised probability of A and continue to assume unchanged conditional probabilities. Define $P_\lambda(B) = \lambda P_1(B) + \lambda^* P_0(B)$, $\forall B \in \mathcal{F}$ where $P_1(B)$ is conditional probability of B given A , $P_0(B)$ is conditional probability of B given A^c , and $\lambda^* = 1 - \lambda$.

For $\lambda \in [0, 1]$, let

$$14 : \quad \eta(\alpha; \lambda) = E \lambda \varphi(X + \alpha Y) = \int \varphi(X + \alpha Y) dP_\lambda = \lambda \eta(\alpha; 1) + \lambda^* \eta(\alpha; 0).$$

Define $\hat{\alpha}(\lambda)$ by $D_\alpha \eta(\hat{\alpha}(\lambda), \lambda) = 0$ and let $\alpha^*(\lambda)$ be the nonzero solution (if there is no nonzero solution $\alpha^*(\lambda) = 0$) of $\eta(\alpha^*(\lambda); \lambda) - \eta(0; \lambda) = 0$. Then, [PROPOSITION IX: With the above definitions, $\hat{\alpha}(\lambda)$ is monotonic and is strictly monotonic if $\hat{\alpha}(1) \neq \hat{\alpha}(0)$. $\hat{\alpha}$ is continuous on $[0, 1]$ and is continuously differentiable on $(0, 1)$.] Proof of PROPOSITION IX

$$15 : \quad D_\alpha \eta(\alpha; \lambda) = \lambda D_\alpha \eta(\alpha; 1) + \lambda^* D_\alpha \eta(\alpha; 0)$$

Suppose $\hat{\alpha}(1) > \hat{\alpha}(0)$. By definition $D_\alpha \eta(\hat{\alpha}(0); 0) = 0$ and, by PROPOSITION I, $D_\alpha \eta(\hat{\alpha}(0); 1) > 0$. Thus, sometimes writing $\hat{\alpha}_\lambda$ for $\hat{\alpha}(\lambda)$, $D_\alpha \eta(\hat{\alpha}_0; \lambda) = \lambda D_\alpha \eta(\hat{\alpha}_0; 1) + \lambda^* D_\alpha \eta(\hat{\alpha}_0; 0) > 0$ so $\hat{\alpha}(\lambda) > \hat{\alpha}(0)$ for $0 < \lambda < 1$. Similarly, $D_\alpha \eta(\hat{\alpha}_1; \lambda) = \lambda D_\alpha \eta(\hat{\alpha}_1; 1) + \lambda^* D_\alpha \eta(\hat{\alpha}_1; 0) = \lambda^* D_\alpha \eta(\hat{\alpha}_1; 0) < 0$ so $\hat{\alpha}(\lambda) < \hat{\alpha}(1)$.

Now suppose $1 > \mu > \lambda$.

$$16 : \quad D_\alpha \eta(\hat{\alpha}_\lambda, \mu) = \mu D_\alpha \eta(\hat{\alpha}_\lambda; 1) + \mu^* D_\alpha \eta(\hat{\alpha}_\lambda; 0) > \lambda D_\alpha \eta(\hat{\alpha}_\lambda; 1) + \lambda^* \eta(\hat{\alpha}_\lambda; 0) = 0.$$

So, $\hat{\alpha}(\mu) > \hat{\alpha}(\lambda)$, and $\hat{\alpha}$ is strictly increasing. A similar argument reveals $\hat{\alpha}$ strictly decreasing if $\hat{\alpha}(1) < \hat{\alpha}(0)$. If $\hat{\alpha}(1) = \hat{\alpha}(0)$, then putting $\alpha = \hat{\alpha}(0)$ in the equation 15 makes both terms on the right vanish and $D_\alpha \eta(\hat{\alpha}_0; \lambda) = 0 \Rightarrow \hat{\alpha}(\lambda) = \hat{\alpha}(0)$, $0 \leq \lambda \leq 1$. By assumptions (1) to (4), and (5), $D_\alpha \eta(\alpha; \lambda)$ has continuous nonzero partial derivative $D_{\alpha\alpha}^2 \eta(\alpha; \lambda) < 0$ and from the equation 15, $D_{\alpha\lambda}^2 \eta(\alpha; \lambda) = D_\alpha \eta(\alpha; 1) - D_\alpha \eta(\alpha; 0)$ so, by the implicit function theorem, $\hat{\alpha}(\lambda)$ is continuously differentiable on $(0, 1)$. Note that for $\hat{\alpha}(1) = \hat{\alpha}(0)$, $\hat{\alpha}(\lambda) = \text{constant}$ is continuous at 0 and 1. To obtain continuity at 0 and 1 when $\hat{\alpha}(1) \neq \hat{\alpha}(0)$, suppose $\lambda_n \uparrow 1$ and take $\bar{\alpha} < \hat{\alpha}(1) < \tilde{\alpha}$. Note $D_\alpha \eta(\bar{\alpha}; 1) > 0$ and $D_\alpha \eta(\tilde{\alpha}; 1) < 0$. $D_\alpha \eta(\bar{\alpha}; \lambda_n) = \lambda_n D_\alpha \eta(\bar{\alpha}; 1) + \lambda_n^* D_\alpha \eta(\bar{\alpha}; 0)$ which is positive whenever $\lambda_n > -\lambda_n^* (D_\alpha \eta(\bar{\alpha}; 0) / D_\alpha \eta(\bar{\alpha}; 1))$ so the latter implies $\hat{\alpha}(\lambda_n) > \bar{\alpha}$. Also, $D_\alpha \eta(\tilde{\alpha}; \lambda_n) = \lambda_n D_\alpha \eta(\tilde{\alpha}; 1) + \lambda_n^* D_\alpha \eta(\tilde{\alpha}; 0)$ which is negative whenever $\lambda_n > -\lambda_n^* (D_\alpha \eta(\tilde{\alpha}; 0) / D_\alpha \eta(\tilde{\alpha}; 1))$ making $\hat{\alpha}(\lambda_n) < \tilde{\alpha}$.

Since $\bar{\alpha}$, $\tilde{\alpha}$ can be arbitrarily close to $\hat{\alpha}(1)$ and the necessary inequalities are realized for λ_n sufficiently close to 1, $\hat{\alpha}(\lambda_n) \rightarrow \hat{\alpha}(1)$. Continuity at 0 is similar.

Concluding Remarks

PROPOSITION IX tells us that an increase in the subjective probability of A, conditional probabilities unchanged, moves in the same direction as if A became certain and that the movement is smooth. These conclusions also hold for the boundary of the favorable set. [PROPOSITION X: $\alpha^*(\lambda)$ as defined above is monotonic and is strictly monotonic if $\alpha^*(1) \neq \alpha^*(0)$. α^* is continuous on $[0, 1]$ and continuously differentiable on $(0, 1)$ except possibly where $\alpha^*(\lambda) = 0$.] Proof of PROPOSITION X

(Recall that $\langle \alpha^* \rangle = \{\alpha : \eta(\alpha) > \eta(0)\}$ and, except when $\eta'(0) = 0$, is either $(\alpha^*, 0)$ or $(0, \alpha^*)$. I first show that for $0 < \lambda < 1$, $\alpha^*(\lambda)$ lies between $\alpha^*(0)$ and $\alpha^*(1)$.) Let

$$17 : \xi(\alpha, \lambda) = \eta(\alpha, \lambda) - \eta(0, \lambda).$$

Then, $\xi(\alpha, \lambda) > 0 \iff \alpha \in \langle \alpha^*(\lambda) \rangle$, i.e., $\langle \alpha^*(\lambda) \rangle = \{ \alpha : \xi(\alpha, \lambda) > 0 \}$. I have

$$18 : \xi(\alpha, \lambda) = \lambda \xi(\alpha, 1) + \lambda^* \xi(\alpha, 0).$$

If $\alpha^*(1) = \alpha^*(0)$, then setting $\alpha = \alpha^*(0)$ in the equation 17 shows $\xi(\alpha^*(0), \lambda) = 0 \forall \lambda \in [0, 1]$ so, $\alpha^*(\lambda) = \alpha^*(0)$. If $\alpha^*(0) < \alpha^*(1)$,

I can consider three cases.

(I) $0 \leq \alpha^*(0) < \alpha^*(1)$. Then, for $0 < \lambda < 1$, $\xi(\alpha_0^*, \lambda) =$

$$\lambda \xi(\alpha_0^*, 1) + \lambda^* \xi(\alpha_0^*, 0) = \lambda^* \xi(\alpha_1^*, 1) > 0$$

so, $\alpha^*(0) \subset \langle \alpha^*(\lambda) \rangle$.

$$\xi(\alpha_1^*, \lambda) = \lambda \xi(\alpha_1^*, 1) + \lambda^* \xi(\alpha_1^*, 0) = \lambda^* \xi(\alpha_1^*, 0) < 0$$

so, $\alpha^*(1) \not\subset \langle \alpha^*(\lambda) \rangle$.

Therefore, $0 < \alpha^*(0) < \alpha^*(\lambda) < \alpha^*(1)$.

(II) $\alpha^*(0) < \alpha^*(1) \leq 0$. Then,

$$\xi(\alpha_0^*, \lambda) = \lambda \xi(\alpha_0^*, 1) + \lambda^* \xi(\alpha_0^*, 0) = \lambda \xi(\alpha_0^*, 1) < 0$$

so, $\alpha^*(0) \not\subset \langle \alpha^*(\lambda) \rangle$.

$$\xi(\alpha_1^*, \lambda) = \lambda \xi(\alpha_1^*, 1) + \lambda^* \xi(\alpha_1^*, 0) = \lambda^* \xi(\alpha_1^*, 0) > 0$$

so, $\alpha^*(1) \subset \langle \alpha^*(\lambda) \rangle$.

Therefore, $\alpha^*(0) < \alpha^*(\lambda) < \alpha^*(1) < 0$.

(III) $\alpha^*(0) < 0 < \alpha^*(1)$. Then,

$$\xi(\alpha_0^*, \lambda) = \lambda \xi(\alpha_0^*, 1) < 0, \text{ so } \alpha^*(0) \not\subset \langle \alpha^*(\lambda) \rangle.$$

$$\xi(\alpha_1^*, \lambda) = \lambda^* \xi(\alpha_1^*, 0) < 0, \text{ so } \alpha^*(1) \not\subset \langle \alpha^*(\lambda) \rangle.$$

This means $\langle \alpha^*(\lambda) \rangle \subset [\langle \alpha^*(0) \rangle \cup \langle \alpha^*(1) \rangle]$ and $\alpha^*(0) < \alpha^*(\lambda) < \alpha^*(1)$.

Now I can show $\mu > \lambda \Rightarrow \alpha^*(\mu) > \alpha^*(\lambda)$ for each of the three cases. This completes the proof of monotonicity since $\alpha^*(1) < \alpha^*(0)$ just involves interchanges 0 and 1 in the proofs for the case of $\alpha^*(0) < \alpha^*(1)$.

(I) $\xi(\alpha_\lambda^*, \mu) = \mu \xi(\alpha_\lambda^*, 1) + \mu^* \xi(\alpha_\lambda^*, 0) > \lambda \xi(\alpha_\lambda^*, 1) + \lambda^* \xi(\alpha_\lambda^*, 0) > 0$
so, $\alpha^*(\lambda) \subset \langle \alpha^*(\mu) \rangle$,

(II) $\xi(\alpha_\lambda^*, \mu) < 0$ so, $\alpha^*(\lambda) \not\subset \langle \alpha^*(\mu) \rangle$.

(III-a) Suppose $\alpha^*(\lambda) < 0$, then $\xi(\alpha_\lambda^*, \mu) = \mu \xi(\alpha_\lambda^*, 1) + \mu^* \xi(\alpha_\lambda^*, 0) < 0$
and $\alpha^*(\lambda) \not\subset \langle \alpha^*(\mu) \rangle$.

(III-b) $\alpha^*(\lambda) > 0$, then $\xi(\alpha_\lambda^*, \mu) = \mu \xi(\alpha_\lambda^*, 1) + \mu^* \xi(\alpha_\lambda^*, 0) < 0$
and $\alpha^*(\lambda) \subset \langle \alpha^*(\mu) \rangle$.

$\alpha^*(\lambda)$ is defined implicitly by

$$19 : \xi(\alpha_\lambda^*, \lambda) = \eta(\alpha_\lambda^*, \lambda) - \eta(0, \lambda) = 0.$$

By the implicit function theorem,

$$20 : D_\alpha^* = - (D_\lambda \xi / D_\alpha \xi) = - (\eta(\alpha_\lambda^*, 1) - \eta(\alpha_\lambda^*, 0) / D_\alpha \eta(\alpha_\lambda^*, \lambda)),$$

which yields a continuous derivative except when $D_\alpha \eta(\alpha_\lambda^*, \lambda) = 0$. So, I recall that $D_\alpha \eta$

$(\alpha^*) \underline{\xi} - \alpha^* \underline{\xi} - \hat{\alpha}$. Thus $D_{\alpha} \eta(\alpha^*, \lambda) = 0 \Rightarrow \alpha^*(\lambda) = \hat{\alpha}(\lambda) = 0$.

To show continuity of $\alpha^*(\lambda)$ at μ_3 $\alpha^*(\mu) = 0$, let $\bar{\alpha} < 0$ and $\lambda_n \rightarrow \mu$.

$$21: \quad \xi(\bar{\alpha}, \lambda_n) = \lambda_n \xi(\bar{\alpha}, 1) + \lambda_n^* \xi(\bar{\alpha}, 0) = \xi(\bar{\alpha}, \mu) + (\lambda_n - \mu) \xi(\bar{\alpha}, 1) + (\lambda_n^* - \mu^*) \xi(\bar{\alpha}, 0).$$

$\xi(\bar{\alpha}, \mu) < 0$, so as n becomes large and the last two terms of the equation 21 become negligible, $\xi(\bar{\alpha}, \lambda_n)$ becomes negative implying that $(\lambda_n) > \bar{\alpha}$ for sufficiently large n (recall that for all λ , $\xi(0, \lambda) = 0$ and that $\xi(\alpha, \lambda) \leq 0 \Rightarrow \alpha \notin \langle \alpha^*(\lambda) \rangle$).

Also, if $\tilde{\alpha} > 0$, $\xi(\tilde{\alpha}, \lambda_n) < 0$ for sufficiently large n . Thus $\langle \alpha^*(\lambda_n) \rangle \subset (\bar{\alpha}, \tilde{\alpha})$ for arbitrary $\bar{\alpha} < 0 < \tilde{\alpha}$ and n sufficiently large; hence the boundary $\alpha^*(\lambda_n) \rightarrow 0$. Continuity at $\lambda = 0$ and $\lambda = 1$ can be shown in a similar fashion.

Notes and References

- 1) Hildreth, C. and L. Tesfatsion: A Model of Choice with Uncertain Initial Prospect, Center for Econ. Res., Univ. of Minn. Discussion Paper, 38 (1974)
- 2) The problem of this item (a) has been previously discussed in the author's Ph. D. dissertation of 1981.
- 3) The ensuing application of the implicit function theorem requires existence and continuity of $D_{\alpha\alpha}^2 \eta$, $D_{\alpha b}^2 \eta$, $D_{\alpha c}^2 \eta$. A proof of continuity of D^2 is sketched below. The others are similar. For convenience I can write X for $W + b$, Y for $V + c$. $D_{\alpha b}^2 \eta = EY \varphi''(X + \alpha Y)$. I must show $\lim_{h \rightarrow 0} EY \varphi''(X + h + \alpha Y) = EY \varphi''(X + \alpha Y)$. For $|h| < \delta$ and φ'' increasing the integrand on the left is dominated by $|Y \varphi''(X + \delta + \alpha Y)|$ which is integrable by assumption (5). Equality then follows from the dominated convergence theorem. Note that monotonicity of φ'' was assumed in the assumption (2). For decreasing the integrand would be dominated by $|Y \varphi''(X + \delta + \alpha Y)$.
- 4) Hildreth, C.: Expected Utility of Uncertain Ventures, J. Amer. Stat. Assoc., 69, 9 ~ 17 (1974)
- 5) By PROPOSITION I, $\hat{\alpha} \underline{\xi} \eta'(0) = EY \varphi'(X)$, $\alpha^* \underline{\xi} \hat{\alpha}$. If $\alpha^* = \hat{\alpha} = \eta'(0) = 0$, replacing Y with $Y + c$ changes $\eta'(0)$ to $E(Y + c) \varphi'(X) > 0$ and $\hat{\alpha}, \alpha^*$ also become positive.
- 6) Hildreth, C.: ibid. 10
- 7) Let $PA = (e/e + 1)$ where e is the base of natural logs. Define $X(w) = 0$ for $w \in A$ and $X(w) = 3$ for $w \in A^c$. Let $Y(A) = 1$, $Y(A^c) = -1$ and $Z(A) = 1$, $Z(A^c) = 0$. If $\varphi(x) = -e^{-x}$ it can be shown that $\hat{\alpha} = 2$ while $\theta'(2) < 0$ indicating $\tilde{\alpha} < 2$.

期待効用の一考察

筆者は本誌前号で期待均衡の考察を試みたが、この小論では筆者のメインテーマである期待理論研究シリーズの第2ステップとして期待効用の考察を行う。すなわち、取引一般のイベントと行動との関係 Ω を規定する環境与件の確率空間 (Ω, F, P) をまずセットし、つぎに、 Ω の要素 w のシーケンシャルとイベント選択行動係数 α と富一般の期待効用関数 φ との3つのからみを現在のイベント選択行動の確率変数 X と将来のそれ Y とを用いて定式化 $(E\varphi(X + \alpha Y))$ を試み、第3にその極大化条件をみたす φ の集合をベースにとった意思決定主体の α の値確定のための数値実験 (大型計算機 HITAC M-150 システムを使用) の方法をめぐる諸問題を吟味し検討する。

付記：この小論は筆者の Ph. D. 論文の一部 (第 I 部の A の第一項の主題：確率法則と期待効用の極大化原理) を拡張し、修正加筆して新規に書き改めたものである。